



Specialist Construction Supplies for Repair, Maintenance, Building & Infrastructure

## Resujoint P

### Specification notes

Product: **Resujoint P**

Supplier:

**Arcon Construction Supplies**  
**19-20 Prestwood Court**  
**Leacroft Road**  
**Warrington**  
**WA3 6SB**

Tel: **01925 852225**

Email: [mail@arconsupplies.co.uk](mailto:mail@arconsupplies.co.uk)

Web: [www.arconsupplies.co.uk](http://www.arconsupplies.co.uk)

Call 01925852225 or visit [Arcon Construction Supplies](http://www.arconconstruction.com) website

...for technical, specification & application advice;

or

...for more information on our other repair, maintenance,  
engineering and construction specialist products.

[Industrial Flooring](#) | [Concrete Repairs](#) | [Protective and Waterproof Coatings](#)

[Jointing and Paving Mortars](#) | [Anti-slip Floor Paints](#) | [Non-shrink Grouts & Mortars](#)

**Resujoint P**



A **SHERWIN-WILLIAMS** Company



RSL : EPJW 2016 11

# Resujoint P

## DESCRIPTION

Resujoint P is a flexible, polyurethane modified epoxy two component jointing compound. It is designed to accommodate low level movement and is available in two grades, Resujoint P for horizontal floor joints and Resujoint V for vertical joints. Resujoint P is specifically designed for stable expansion jointing in self-smoothing and screed floor finishes.

## ADVANTAGES

- Hard wearing flexible cure
- Good adhesion
- Accommodates movement and maintains a seamless finish
- Ease of cleaning
- Chemical resistance
- Range of colours available

## RECOMMENDED USES

- Designed for expansion jointing self-smoothing and screed systems
- High modular for low movement joints
- Granolithic screeds
- Concrete and asphalt
- Polyurethane screeds
- Polymer screeds
- Epoxy substrates

## PRODUCT INFORMATION

System thickness (dry)	Solids content	Pack sizes	Pack make up	Shelf life	Storage
As required for jointing	100%	1 Litre 2.5 Litre 5 Litre	1 X Base 1 X Hardener	12 Months (Base & Hardener)	Keep out of direct Sunlight. Store in a dry place, not below 15°C

## DRYING TIMES & COVERAGE RATES at 20°C

Coverage rate	Pot life	Recoat time	Light traffic	Full traffic	Full chemical cure
1 Litre will fill 10 linear metres 10mm wide and 10mm deep	45 - 65 minutes	24 Hours	48 Hours	72 Hours	Up to 7 Days



