



SAFETY DATA SHEET

FEBOX BASE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: FEBOX BASE

PART No.: F350705

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
RESPIRABLE SILICA		60676-86-0	1-5 %	Xn	48/20
REACTION PRODUCT BISPHENOL F		28064-14-4	1-5 %	Xi, N	36/38, 43, 51/53
REACTION PRODUCT BISPHENOL A		25085-99-8	5-10 %	Xi, N	36/38, 43, 51/53

The full text for all R-phrases are shown in section 16.

COMPOSITION COMMENTS: Two component epoxy resin based product.
: Base component based on bisphenol A epoxy resin.

3 HAZARDS IDENTIFICATION

May cause sensitisation by skin contact.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION: DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Promptly get affected personnel to drink large volumes of water to dilute the swallowed chemical. Obtain medical advice. Provide rest, warmth and fresh air.

SKIN: Important to remove the substance from the skin immediately. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing. Chemical burns must be treated by a physician.

EYES: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Fire can be extinguished using: Water spray. Powder, foam or CO2.

6 ACCIDENTAL RELEASE MEASURES

PRECAUTIONS TO PROTECT ENVIRONMENT: Avoid subsoil penetration. Prevent product from entering drains. Do not contaminate surface water.



FEBOX BASE

SPILL CLEANUP METHODS: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Wear necessary protective equipment.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Provide sufficient air exchange and/or exhaust in work rooms. Handle and open container with care. Avoid formation of aerosol

STORAGE PRECAUTIONS: Keep away from food and drink. Keep container tightly closed at room temperature in the original container.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
RESPIRABLE SILICA	60676-86-0	MEL	0.3 mg/m ³	No std.

PROTECTIVE EQUIPMENT:



VENTILATION: Provide adequate general and local exhaust ventilation.

RESPIRATORS: In case of insufficient ventilation wear suitable respiratory equipment.

PROTECTIVE GLOVES: Use protective gloves.

EYE PROTECTION: Use approved safety goggles or face shield.

HYGIENIC WORK ROUTINES: DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly if skin becomes contaminated. No eating or drinking while working with this material.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Paste or slurry.	COLOUR:	Grey.
SOLUBILITY DESCRIPTION:	Immiscible with water.	BOILING POINT (°C):	>200

10 STABILITY AND REACTIVITY

STABILITY: Normally stable.

CONDITIONS TO AVOID: Take necessary action to avoid static electricity discharge

MATERIALS TO AVOID: Strong acids and strong bases strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS:
Burning produces obnoxious and toxic fumes. Carbon Oxides

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL DATA:
Acute toxicity. LD50. Oral. Rat. >5000 mg/kg

SKIN: May cause sensitisation by skin contact.



FEBOX BASE

12 ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL DATA:

Acute toxicity.	LC50	96 hours	fish	2.4mg/l
Acute toxicity.	LC50	96 hours	Daphnia	3.6mg/l

ENVIRONMENTAL HAZARDS: Avoid subsoil penetration. Do not let product enter drains. Do not contaminate surface water.
DEGRADABILITY: Not readily Biodegradable

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

14 TRANSPORT INFORMATION

ROAD:

ROAD TRANSPORT NOTES: Product not classified as dangerous goods under any transport regulations

RAIL:

RAIL TRANSPORT NOTES: Product not classified as dangerous goods under any transport regulation

SEA:

AIR:

AIR TRANSPORT NOTES: Product not classified as dangerous goods under any transport regulations

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



IRRITANT

RISK PHRASES: R-43 May cause sensitisation by skin contact.
R-52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES: P-5 Contains epoxy constituents. See information supplied by the manufacturer.
S-2 Keep out of reach of children.
S-24 Avoid contact with skin.
S-37 Wear suitable gloves.
S-46 If swallowed seek medical advice immediately and show this container label.
S-56 Dispose of this material and its container to hazardous or special waste collection point.

GUIDANCE NOTES: Occupational Exposure Limits EH40.
Introduction to Local Exhaust Ventilation HS(G)37.
CHIP for everyone HSG(108).



FEBOX BASE

16 OTHER INFORMATION

REVISION DATE:	01/10/01	
REVISION No. /REPLACES SDS ISSUED:	Issue 1	
SDS No.:	SDS0188	
R-PHRASES (Full Text):	R-43	May cause sensitisation by skin contact.
	R-36/38	Irritating to eyes and skin.
	R-48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
	R-51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.