



SAFETY DATA SHEET

GEOFIX WIDE JOINTING COMPOUND

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: GEOFIX WIDE JOINTING COMPOUND

PART No.: F703211

SUPPLIER: MBT Feb
Albany House
Swinton Hall Road
Swinton Manchester M27 4DT

TEL: (+44) 161 794 7411

FAX: (+44) 161 727 8547

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
LIQUID POLYBUTADIENE			1-5 %	Xi	43

The full text for all R-phrases are shown in section 16.

COMPOSITION COMMENTS: Polybutadiene based product extended with siliceous fillers

3 HAZARDS IDENTIFICATION

May cause sensitisation by skin contact.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

INGESTION: DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Promptly get affected personnel to drink large volumes of water to dilute the swallowed chemical. Obtain medical advice. Provide rest, warmth and fresh air.

SKIN: Important to remove the substance from the skin immediately. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing. Chemical burns must be treated by a physician.

EYES: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Fire can be extinguished using: Water spray, fog or mist. Foam. The material once cured is not Flammable however under extreme circumstances the Polymer may support combustion.



GEOFIX WIDE JOINTING COMPOUND

6 ACCIDENTAL RELEASE MEASURES

PRECAUTIONS TO PROTECT ENVIRONMENT:

Avoid subsoil penetration. Prevent product from entering drains. Do not contaminate surface water.

SPILL CLEANUP METHODS:

Wear necessary protective equipment. Collect and reclaim or dispose in sealed containers in licensed waste. Avoid generation and spreading of dust. Flush area with plenty of water.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS:

Avoid spilling, skin and eye contact. Persons with impaired lung functions should not handle this preparation. Avoid handling which leads to dust formation. Provide good ventilation.

STORAGE PRECAUTIONS:

Keep in cool, dry, ventilated storage and closed containers.
Keep in original container.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT COMMENTS:

OES = Occupational Exposure Standard.

PROTECTIVE EQUIPMENT:



VENTILATION:

Provide adequate general and local exhaust ventilation. Provide sufficient ventilation for operations causing dust formation.

RESPIRATORS:

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Occupational Exposure Level (OEL). Wear respirator if there is dust formation.

PROTECTIVE GLOVES:

Use protective gloves.

EYE PROTECTION:

Use approved safety goggles or face shield.

OTHER PROTECTION:

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENIC WORK ROUTINES:

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. No eating or drinking while working with this material.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Granular.

COLOUR:

Buff. or Grey.

ODOUR/TASTE:

Vegetable Oil

10 STABILITY AND REACTIVITY

STABILITY:

Normally stable.

CONDITIONS TO AVOID:

Avoid contact with: Strong mineral acids.

HAZARDOUS DECOMPOSITION PRODUCTS:

Fire or high temperatures create: Vapours/gases/fumes of: Hydrogen chloride (HCl).
Ammonia or amines.

11 TOXICOLOGICAL INFORMATION

INHALATION:

May cause irritation to the respiratory system.



GEOFIX WIDE JOINTING COMPOUND

INGESTION: May cause discomfort if swallowed.
SKIN: May cause skin irritation/eczema Powder may irritate skin.
EYES: Irritation of eyes and mucous membranes.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

14 TRANSPORT INFORMATION

LABEL FOR CONVEYANCE: No transport warning sign required.

ROAD:
ROAD TRANSPORT NOTES: Not classified for road transport.

RAIL:
RAIL TRANSPORT NOTES: Not classified for rail transport.

SEA:
SEA TRANSPORT NOTES: Not classified for sea transport.

AIR:
AIR TRANSPORT NOTES: Not classified for air transport.

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



IRRITANT

RISK PHRASES: R-43 May cause sensitisation by skin contact.

SAFETY PHRASES: S-2 Keep out of reach of children.
S-24 Avoid contact with skin.
S-46 If swallowed seek medical advice immediately and show this container label.
S-36/37 Wear suitable protective clothing and gloves.

UK ENVIRONMENTAL LISTINGS: Rivers (Prevention of Pollution) Act 1961.

Control of Pollution (Special Waste Regulations) Act 1980.

EC DIRECTIVES: System of specific information relating to Dangerous Preparations. 91/155.

Chemicals (Hazard Information and Packaging) Regulations.

STATUTORY INSTRUMENTS: Classification and Labelling of Substances and Preparations Dangerous for Supply.

APPROVED CODE OF PRACTICE: Occupational Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

GUIDANCE NOTES: CHIP for everyone HSG(108).



GEOFIX WIDE JOINTING COMPOUND

16 OTHER INFORMATION

INFORMATION SOURCES:	Dangerous Properties of Industrial Materials Report, N.Sax et.al.	
REVISION DATE:	01/10/01	
REVISION No. /REPLACES SDS ISSUED:	Issue 1	
SDS No.:	SDS0136	
R-PHRASES (Full Text):	R-43	May cause sensitisation by skin contact.