



Specialist Construction Supplies for Repair, Maintenance, Building & Infrastructure

## Febond PVA Safety Data Sheet

### Safety Data Sheet

Product: Febond PVA

Supplier:

**Arcon Construction Supplies**  
19-20 Prestwood Court  
Leacroft Road  
Warrington  
WA3 6SB

Tel: 01925 852225

Email: [mail@arconsupplies.co.uk](mailto:mail@arconsupplies.co.uk)

Web: [www.arconsupplies.co.uk](http://www.arconsupplies.co.uk)

Call 01925 852225 or visit [Arcon Construction Supplies](http://www.arconconstruction.com)  
... for more information on our flooring and construction products

[Industrial Flooring](#) | [Concrete Repairs](#) | [Protective and Waterproof Coatings](#)  
[Jointing and Paving Mortars](#) | [Anti-slip Floor Paints](#) | [Concrete Repair Mortars](#)



# SAFETY DATA SHEET

## FEBOND PVA

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

**PRODUCT NAME:** FEBOND PVA  
**PART No.:** F450403  
**SUPPLIER:** MBT Feb  
Albany House  
Swinton Hall Road  
Swinton Manchester M27 4DT  
**TEL:** (+44) 161 794 7411  
**FAX:** (+44) 161 727 8547

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

**COMPOSITION COMMENTS:** Aqueous polyvinyl acetate polymer emulsion based liquid

### 3 HAZARDS IDENTIFICATION

This product is not classified as hazardous under current CHIP regulations

### 4 FIRST AID MEASURES

**INHALATION:** Unlikely to occur however if it does, Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.  
**INGESTION:** DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Promptly get affected personnel to drink large volumes of water to dilute the swallowed chemical. Obtain medical advice. Provide rest, warmth and fresh air.  
**SKIN:** Remove affected person from source of contamination. Wash skin with soap and water. Get medical attention if irritation develops  
**EYES:** Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This material is not flammable. Use extinguishing media appropriate for surrounding fire.

### 6 ACCIDENTAL RELEASE MEASURES

**PRECAUTIONS TO PROTECT ENVIRONMENT:** Avoid subsoil penetration. Prevent product from entering drains. Do not contaminate surface water.  
**SPILL CLEANUP METHODS:** Stop leak if possible without risk. Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.



## FEBOND PVA

### 7 HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact. Observe good industrial safety and hygiene practice  
**STORAGE PRECAUTIONS:** Keep in original container. Protect against Freezing Store Between 5 and 40 Degrees C

### 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

**PROTECTIVE EQUIPMENT:**



**VENTILATION:** No particular ventilation requirements.  
**PROTECTIVE GLOVES:** Use suitable protective gloves if risk of skin contact.  
**EYE PROTECTION:** If risk of splashing, wear safety goggles or face shield.  
**OTHER PROTECTION:** Wear appropriate clothing to prevent any possibility of skin contact.  
**HYGIENIC WORK ROUTINES:** DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. No eating or drinking while working with this material.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE:</b>	Liquid.	<b>COLOUR:</b>	White.
<b>ODOUR/TASTE:</b>	Negligible	<b>MELTING POINT (°C):</b>	0
<b>SOLUBILITY DESCRIPTION:</b>	Miscible with water.	<b>VAPOUR PRESSURE:</b>	23mbar
<b>SPECIFIC GRAVITY (Water=1):</b>	1.1		
<b>pH-VALUE, CONC:</b>	4-6		
<b>AUTO IGNITION TEMPERATURE (°C):</b>	N/A		
<b>FLAMMABILITY LIMIT (lower %):</b>	N/A		

### 10 STABILITY AND REACTIVITY

**STABILITY:** Normally stable.  
**CONDITIONS TO AVOID:** Avoid excessive heat for prolonged periods of time.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** None other than those associated with the packaging

### 11 TOXICOLOGICAL INFORMATION

**TOXIC DOSE1- LD50:** N/A  
**HEALTH HAZARDS, GENERAL:** Not irritating  
**HEALTH WARNINGS:** No specific health warnings noted.  
**OTHER HEALTH EFFECTS:** May cause sensitisation to susceptible persons

### 12 ECOLOGICAL INFORMATION

**ENVIRONMENTAL HAZARDS:** No Data



## FEBOND PVA

### 13 DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS:** Dispose of in accordance with Local Authority requirements.

### 14 TRANSPORT INFORMATION

**ROAD:**  
**ROAD TRANSPORT NOTES:** Product not classified as dangerous goods under any transport regulations

**RAIL:**  
**RAIL TRANSPORT NOTES:** Product not classified as dangerous goods under any transport regulation

**SEA:**  
**AIR:**  
**AIR TRANSPORT NOTES:** Product not classified as dangerous goods under any transport regulations

### 15 REGULATORY INFORMATION

**RISK PHRASES:** Not classified.

**SAFETY PHRASES:** Not classified.

**EC DIRECTIVES:** System of specific information relating to Dangerous Preparations. 91\155.  
**APPROVED CODE OF PRACTICE:** Classification and Labelling of Substances and Preparations Dangerous for Supply.  
**GUIDANCE NOTES:** Occupational Exposure Limits EH40.  
Introduction to Local Exhaust Ventilation HS(G)37.  
CHIP for everyone HSG(108).

### 16 OTHER INFORMATION

**REVISION DATE:** 01/10/01  
**REVISION No. /REPLACES SDS ISSUED:**  
Issue 1  
**SDS No.:** SDS0017